

### Evolution XPC OFC Digital 110 Ohm AES/EBU 8 Pair



#### Product overview

---

<b>Part number</b>	300-308
<b>Product description</b>	Evolution XPC OFC Digital 110 Ohm AES/EBU 8 Pair

#### Cable construction

---

<b>Conductor</b>	Pair: 7 x 0.20mm 24 AGW pure OFC copper Drain: 7 x 0.20mm 24 AGW pure tinned copper
<b>Insulation</b>	Foam PE 1.4mm
<b>Screen</b>	Spiral pure OFC copper 100% coverage
<b>Jacket</b>	Overall: Flexible matt deep purple abrasion resistant PVC Pair: Supple grey PVC 3.6 mm OD Diameter: 14.10mm
<b>Marking</b>	Evolution XPC OFC Digital 110 Ohm AES/EBU 8 Pair 300-308
<b>Weight</b>	19 Kg/100m

#### Electrical characteristics at 20°C

---

<b>Capacitance</b>	46pF/m core to core
--------------------	---------------------

**Specifications subject to change without notice. Please contact Direct Cable Systems to verify information.**

#### Direct Cable Systems Ltd

Unit 4 Parkbury Estate, Handley Page Way, Colney Street, St Albans, Hertfordshire AL2 2DQ, United Kingdom.  
tel. +44 (0)208 238 7800 fax. +44 (0)208 238 7801 email. sales@directcablesystems.com Registered in UK No. 3409274



<b>Impedance</b>	110 Ohms
<b>Resistance</b>	69 Ohms/km
<b>Operating temp</b>	-20°C to 70°C

**Specifications subject to change without notice. Please contact Direct Cable Systems to verify information.**

**Direct Cable Systems Ltd**

Unit 4 Parkbury Estate, Handley Page Way, Colney Street, St Albans, Hertfordshire AL2 2DQ, United Kingdom.  
tel. +44 (0)208 238 7800 fax. +44 (0)208 238 7801 email. sales@directcablesystems.com Registered in UK No. 3409274

